

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

· **1.1 Product identifier**

· **Trade name:** RM 81 ASF NTA-free

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** High pressure cleaner

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Alfred Kärcher SE & Co. KG  
Alfred-Kärcher-Str. 28-40  
D - 71364 Winnenden

Postfach 160  
D - 71349 Winnenden

Tel.: +49-7195-14-0  
Fax : +49-7195-14-2212

[www.karcher.com](http://www.karcher.com)

Distributor:  
Kärcher (UK) Ltd.  
Kärcher House  
Brookhill Way  
Banbury  
Oxon OX16 3ED  
Great Britain

Tel.: +44-1295-752-000  
Fax : +44-1295-752-103

· **Further information obtainable from:**

Department PCD-D  
Tel.: +49-7195-14-2548  
Fax : +49-7195-14-3164  
[safetydata@karcher.com](mailto:safetydata@karcher.com)

· **1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

GB

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 1)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS05

- **Signal word** Warning

- **Hazard statements**

H290 May be corrosive to metals.

H319 Causes serious eye irritation.

- **Precautionary statements**

P234 Keep only in original packaging.

P264 Wash hands thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

- **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.


- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Cleaning agent

- **Dangerous components:**

CAS: 15763-76-5	sodium p-cumenesulphonate	1-5%
EINECS: 239-854-6	 Eye Irrit. 2, H319	
Reg.nr.: 01-2119489411-37-xxxx		

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 2)

CAS: 61827-42-7 Reg.nr.: 02-2119549526-31-XXXX	alkyl-C10-polyethyleneglycolether + 8 EO ☞ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302	1-5%
CAS: 69011-36-5 EC number: 931-138-8 Reg.nr.: 02-2119552461-55-XXXX	isotridecanoethoxylate + 8 EO ☞ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302	1-5%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

non-ionic surfactants	≥5 - <15%
anionic surfactants	<5%
perfumes	

· **Additional information**

Specific concentration limits available for isotridecanoethoxylate + 8 EO (CAS 69011-36-5) based on test reports (see Section 11).

Specific concentration limits available for alkyl-C10-polyethyleneglycolether + 8 EO (CAS 61827-42-7) based on test reports (see Section 11).

For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact** Rinse with warm water.

· **After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** Redness and irritation of the eyes

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with full jet.

· **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 3)

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
  - Dilute with plenty of water.*
  - Do not allow to enter sewers/ surface or ground water.*
  - Do not allow to penetrate the ground/soil.*
- **6.3 Methods and material for containment and cleaning up:**
  - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).*
  - Ensure adequate ventilation.*
- **6.4 Reference to other sections**
  - See Section 7 for information on safe handling*
  - See Section 8 for information on personal protection equipment.*
  - See Section 13 for disposal information.*

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**
  - Use only in well ventilated areas.*
  - Ensure good ventilation/exhaustion at the workplace.*
  - Prevent formation of aerosols.*
  - Avoid contact with eyes and skin.*
- **Information about fire - and explosion protection:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage**
  - **Requirements to be met by storerooms and receptacles:** *Store only in the original receptacle.*
  - **Information about storage in one common storage facility:**
    - Do not store together with acids.*
    - Keep away from food, beverages and feed.*
  - **Further information about storage conditions:** *Keep receptacle tightly sealed.*
- **7.3 Specific end use(s)** *No further relevant information available.*

### **SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** *No further data; see item 7.*
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
  - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
  - Keep away from foodstuffs, beverages and feed.*
  - Immediately remove all soiled and contaminated clothing*
  - Wash hands before breaks and at the end of work.*

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 4)

*Do not inhale gases / fumes / aerosols.*

*Avoid contact with the eyes and skin.*

· **Respiratory protection:**

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*

*Not necessary if room is well-ventilated.*

· **Protection of hands:** *Not required.*

· **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye protection:**



*Tightly sealed goggles (EN 166)*

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	<i>Fluid</i>
· <b>Colour:</b>	<i>Yellow</i>
· <b>Odour:</b>	<i>citrus-like</i>
· <b>Odour threshold:</b>	<i>Not determined.</i>

· **pH-value at 20 °C:** *12.3*

· **pH-value 1 %:** *10*

· **Change in condition**

· **Melting point/freezing point:** *-8 °C*  
*-8 °C*

· **Initial boiling point and boiling range:** *100 °C*

· **Flash point:** *Not applicable*

· **Flammability (solid, gaseous)** *Not applicable.*

· **Ignition temperature:** *200 °C*

· **Decomposition temperature:** *Not determined.*

· **Auto-ignition temperature:** *Product is not selfigniting.*

· **Explosive properties:** *Product does not present an explosion hazard.*

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 5)

· <b>Explosion limits:</b> <b>Lower:</b> <b>Upper:</b>	<i>Not determined.</i> <i>Not determined.</i>
· <b>Vapour pressure at 20 °C:</b>	0.1 hPa
· <b>Density at 20 °C:</b> · <b>Relative density</b> · <b>Vapour density</b> · <b>Evaporation rate</b>	1.106 g/cm <sup>3</sup> <i>Not determined.</i> <i>Not determined.</i> <i>Not determined.</i>
· <b>Solubility in / Miscibility with</b> <b>Water:</b>	<i>Fully miscible</i>
· <b>Partition coefficient: n-octanol/water:</b>	<i>Not determined.</i>
· <b>Viscosity:</b> <b>dynamic at 20 °C:</b> <b>kinematic:</b>	5 mPas <i>Not determined.</i>
· <b>Solvent content:</b> <b>VOC (EC)</b> <b>Solids content:</b>	0.00 % 22.6 %
· <b>9.2 Other information</b>	<i>No further relevant information available.</i>

### **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
*No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions**  
*Strong exothermic reaction with acids*  
*Reacts with light alloys to form hydrogen*  
*Corrodes aluminium*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:**  
*Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.*
- **10.6 Hazardous decomposition products:** *No dangerous decomposition products known*

### **SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 6)

**· LD/LC50 values relevant for classification:**

**61827-42-7 alkyl-C10-polyethyleneglycolether + 8 EO**

Oral	ATE	500 mg/kg (Rat)
Dermal	LD50	>4,000 mg/kg (Rat)

**69011-36-5 isotridecanoethoxylate + 8 EO**

Oral	ATE	500 mg/kg (Rat)
------	-----	-----------------

**· Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation**

OECD 405

CAS 61827-42-7 alkyl-C10-polyethyleneglycolether + 8 EO: Specific concentration limit for H318: 10% (BCOP test, OECD 437)

69011-36-5 isotridecanoethoxylate + 8 EO: specific concentration limit for H318: 10% (BCOP test, OECD 437)

Causes serious eye irritation.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

**· 12.1 Toxicity**

**· Aquatic toxicity:**

Not applicable

**61827-42-7 alkyl-C10-polyethyleneglycolether + 8 EO**

LC50/96 h	10-100 mg/l (Leuciscus idus)
EC50/48 h	10-100 mg/l (Aquatic invertebrates)
EC50/72 h	10-100 mg/l (Aquatic plants)

**69011-36-5 isotridecanoethoxylate + 8 EO**

LC50/96 h	1-10 mg/l (Leuciscus idus)
EC50/48 h	1-10 mg/l (Aquatic invertebrates)
EC50/72 h	1-10 mg/l (Aquatic plants)

**· 12.2 Persistence and degradability**

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

**69011-36-5 isotridecanoethoxylate + 8 EO**

Bismuth-act. sup.	≥90 % (mod. OECD 301 E)
-------------------	-------------------------

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 7)

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **COD-value:** 300000 mg/l

· **General notes:**

*The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.*

*The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Directive on liquid waste.*

*In compliance with the prescribed application parameters, the product does not lead to stable emulsions.*

*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

*Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.*

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

### **SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**

· **Recommendation**

*Must not be disposed together with household garbage. Do not allow product to reach sewage system.*

*Must be specially treated adhering to official regulations.*

· **European waste catalogue**

07 06 01*	aqueous washing liquids and mother liquors
-----------	--

· **Uncleaned packaging:**

· **Recommendation:** Non contaminated packagings may be recycled.

· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

GB

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019



Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 8)

**SECTION 14: Transport information**

· <b>14.1 UN-Number</b> · <b>ADR, IMDG, IATA</b>	UN3267
· <b>14.2 UN proper shipping name</b> · <b>ADR</b>  · <b>IMDG, IATA</b>	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (methylglycine diacetic acid, trisodium salt, solution)  CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (methylglycine diacetic acid, trisodium salt, solution)
· <b>14.3 Transport hazard class(es)</b> · <b>ADR</b>  	8 (C7) Corrosive substances.
· <b>Class</b> · <b>Label</b>	8
· <b>IMDG, IATA</b>  	8 Corrosive substances.
· <b>Class</b> · <b>Label</b>	8
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b> · <b>EMS Number:</b> · <b>Segregation groups</b> · <b>Stowage Category</b> · <b>Stowage Code</b> · <b>Segregation Code</b>	Warning: Corrosive substances. F-A,S-B Alkalis A SW2 Clear of living quarters. SG35 Stow "separated from" acids.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>  · <b>ADR</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 9)

·	Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
<hr/>	
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (METHYLGLYCINE DIACETIC ACID, TRISODIUM SALT, SOLUTION), 8, III

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
- **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

- **Relevant phrases**  
H302 Harmful if swallowed.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.
- **Department issuing SDS:** PCD-D
- **Contact:**  
Department PCD-D  
Tel.: +49-7195-14-2548  
Fax : +49-7195-14-3164  
safetydata@karcher.com
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 11)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.04.2019

Version number 8

Revision: 11.08.2017

**Trade name: RM 81 ASF NTA-free**

(Contd. of page 10)

*IMDG: International Maritime Code for Dangerous Goods*  
*IATA: International Air Transport Association*  
*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*VOC: Volatile Organic Compounds (USA, EU)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*Met. Corr.1: Corrosive to metals – Category 1*  
*Acute Tox. 4: Acute toxicity – Category 4*  
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*  
· **\* Data compared to the previous version altered.**

· 0-011-131-0                      RM 81/14-2                      1-919